

Cited and Other References:

- (1) Wulff, G. Molecular imprinting in cross-linked materials with the aid of molecular templates - A way towards artificial antibodies. *Angew. Chem. Int. Ed.* **1995**, *34*, 1812-1832.
- (2) Sellergren, B. Imprinted chiral stationary phases in high-performance liquid chromatography. *J. Chrom. A* **2001**, *906*, 227-252.
- (3) Wulff, G. Enzyme-like catalysis by molecularly imprinted polymers. *Chem. Rev.* **2002**, *102*, 1-25.
- (4) Alexander, C.; Davidson, L.; Hayes, W. Imprinted polymers: artificial molecular recognition materials with applications in synthesis and catalysis. *Tetrahedron* **2003**, *59*, 2025-2057.
- (5) Haupt, K. Molecularly imprinted polymers in analytical chemistry. *Analyst* **2001**, *126*, 747-756.
- (6) Haupt, K. Imprinted polymers - Tailor-made mimics of antibodies and receptors. *Chem. Commun.* **2003**, 171-178.
- (7) Batra, D.; Shea, K. J. Combinatorial methods in molecular imprinting. *Curr. Opin. Chem. Biol.* **2003**, *7*, 434-442.
- (8) Severin, K. Imprinted polymers with transition metal catalysts. *Curr. Opin. Chem. Biol.* **2000**, *4*, 710-714.
- (9) Ye, L.; Weiss, R.; Mosbach, K. Synthesis and characterization of molecularly imprinted microspheres. *Macromolecules* **2000**, *33*, 8239-8245.
- (10) Whitcombe, M. J.; Rodriguez, M. E.; Villar, P.; Vulfson, E. N. A new method for the introduction of recognition site functionality into polymers prepared by molecular imprinting: Synthesis and characterization of polymeric receptors for cholesterol. *J. Am. Chem. Soc.* **1995**, *117*, 7105-7111.
- (11) Quaglia, M.; Chenon, K.; Hall, A. J.; Lorenzi, E. d.; Sellergren, B. Target Analogue Imprinted Polymers with Affinity for Folic Acid and Related Compounds. *J. Am. Chem. Soc.* **2001**, *123*, 2146.
- (12) Sellergren, B.; Shea, K. J. Influence of polymer morphology on the ability of imprinted network polymers to resolve enantiomers. *J. Chromatogr.* **1993**, *635*, 31-49.

- (13) Spivak, D. A.; Campbell, J. Systematic study of steric and spatial contributions to molecular recognition by non-covalent imprinted polymers. *Analyst* **2001**, *126*, 793.
- (14) Matsui, J.; Nicholls, I. A.; Takeuchi, T. Highly stereoselective molecularly imprinted polymer synthetic receptors for cinchona alkaloids. *Tetrahedron: Asymmetry* **1996**, *7*, 1357.
- (15) Luebke, C.; Luebke, M.; Whitcombe, M. J.; Vulfson, E. N. Imprinted polymers prepared with stoichiometric template-monomer complexes: Efficient binding of ampicillin from aqueous solutions. *Macromolecules* **2000**, *33*, 5098-5105.
- (16) Kim, H.; Spivak, D. A. An orthogonal approach to multifunctional molecularly imprinted polymers. *Org. Lett.* **2003**, *5*, 3415-3418.
- (17) Chianella, I.; Lotierzo, M.; Piletsky, S. A.; Tohill, I. E.; Chen, B. et al. Rational design of a polymer specific for microcystin-LR using a computational approach. *Anal. Chem.* **2002**, *74*, 1288.
- (18) Takeuchi, T.; Fukuma, D.; Matsui, J. Combinatorial molecular imprinting: An approach to synthetic polymer receptors. *Anal. Chem.* **1999**, *71*, 285-290.
- (19) Bystroem, S. E.; Boerje, A.; Akermark, B. Selective reduction of steroid 3- and 17-ketones using LiAlH₄ activated template polymers. *J. Am. Chem. Soc.* **1993**, *115*, 2081-2083.
- (20) Wulff, G.; Gross, T.; Schoenfeld, R. Enzyme models based on molecularly imprinted polymers with strong esterase activity. *Angew. Chem. Int. Ed.* **1997**, *36*, 1962-1964.
- (21) Emgenbroich, M.; Wulff, G. A new enzyme model for enantioselective esterases based on molecularly imprinted polymers. *Chem. Eur. J.* **2003**, *9*, 4106-4117.
- (22) Polborn, K.; Severin, K. Molecular imprinting with an organometallic transition state analogue. *Chem. Commun.* **1999**, 2481.
- (23) Polborn, K.; Severin, K. Biomimetic catalysis with immobilised organometallic ruthenium complexes: Substrate- and regioselective transfer hydrogenation of ketones. *Chem. Eur. J.* **2000**, *6*, 4604.
- (24) Vlatakis, G.; Andersson, L. I.; Mueller, R.; Mosbach, K. Drug assay using antibody mimics made by molecular imprinting. *Nature* **1993**, *361*, 645-647.
- (25) Zhu, L.; Xu, X. Selective separation of active inhibitors of epidermal growth factor receptor from *Caragana Jubata* by molecularly imprinted solid-phase extraction. *J. Chrom. A* **2003**, *991*, 151-158.

- (26) Zhu, L.; Chen, L.; Xu, X. Application of a molecularly imprinted polymer for the effective recognition of different anti-epidermal growth factor receptor inhibitors. *Anal. Chem.* **2003**, *75*, 6381.
- (27) Mosbach, K.; Yu, Y.; Andersch, J.; Ye, L. Generation of new enzyme inhibitors using imprinted binding sites: The anti-idiotypic approach, a step toward the next generation of molecular imprinting. *J. Am. Chem. Soc.* **2001**, *123*, 12420-12421.
- (28) Yu, Y.; Ye, L.; Haupt, K.; Mosbach, K. Formation of a class of enzyme inhibitors (drugs), including a chiral compound, by using imprinted polymers or biomolecules as molecular-scale reaction vessels. *Angew. Chem. Int. Ed.* **2002**, *41*, 4459-4463.