

# Bibliography of NBO Applications, 1997

Drozdova Y, Steudel R

*Cyclic sulfur imides: When and why is the geometry at nitrogen planar? - An ab-initio study*  
PHOSPHORUS SULFUR 125: 521-524 1997

Metail V, Joanteguy S, Chrostowska-Senio A, et al.

*Gas-phase generation and photoelectron spectrum of 1,1-dimethyl-N-dimethylsilylsilanimine*  
MAIN GROUP CHEM 2 (2): 97-106 1997

Dem'yanov PI, Myshakin EM, Krut'ko DP, et al.

*Effect of substituents in the ring on the structure and electron density distribution in benzyl halides*  
RUSS CHEM B+ 46 (12): 1996-2005 DEC 1997

Colvin ME, Seidl ET, Nielsen IMB, et al.

*Deprotonation and hydride shifts in nitrenium and iminium forms of aminoimidazole-azaarene mutagens*  
CHEM-BIOL INTERACT 108 (1-2): 39-66 DEC 12 1997

Friedman P, Ferris KF

*A theoretical study of the aromaticity of hypervalent sulfur heterocycles*  
THEOCHEM-J MOL STRUC 418 (2-3): 119-126 NOV 24 1997

Benassi R, Fiandri GL, Taddei F

*A theoretical MO ab initio approach to the conformational properties and homolytic bond cleavage in aryl disulphides*  
THEOCHEM-J MOL STRUC 418 (2-3): 127-138 NOV 24 1997

Markham GD, Bock CW

*Intramolecular sulfur-oxygen interactions: An ab initio molecular orbital and density functional theory investigation*  
THEOCHEM-J MOL STRUC 418 (2-3): 139-154 NOV 24 1997

Schamschule R, Parusel A, Kohler G

*Theoretical investigations of the ground-state properties of stereoselectively substituted aminobenzonitriles*  
THEOCHEM-J MOL STRUC 419: 161-167 DEC 8 1997

Ghigo G, Tonachini G, Fossey J

*Ab initio theoretical study of the reactivity as bases or nucleophiles of potassium and lithium methides*

J PHYS ORG CHEM 10 (12): 885-897 DEC 1997

Cypryk M, Apeloig Y

*Ab initio study of silyloxonium ions*

ORGANOMETALLICS 16 (26): 5938-5949 DEC 23 1997

Goldfuss B, Schleyer PV, Handschuh S, et al.

*The presence and absence of agostic electrostatic Si-H center dot center dot center dot M interactions in [M{Me<sub>2</sub>Si(H)N-t-Bu}] (M = Li, Mg-1/2) species*

ORGANOMETALLICS 16 (26): 5999-6003 DEC 23 1997

Levin MD, Hamrock SJ, Kaszynski P, et al.

*Preparation, structure, and properties of symmetrically 1,3-difunctionalized penta- and hexafluorobicyclo[1.1.1]pentanes*

J AM CHEM SOC 119 (52): 12750-12761 DEC 31 1997

Olah GA, Shamma T, Burrichter A, et al.

*Preparation, C-13 NMR/DFT/IGLO study of benzylic mono- and dications, and attempted preparation of a trication*

J AM CHEM SOC 119 (52): 12923-12928 DEC 31 1997

Glendening ED, Hrabal JA

*Resonance in formamide and its chalcogen replacement analogues: A natural population analysis natural resonance theory viewpoint*

J AM CHEM SOC 119 (52): 12940-12946 DEC 31 1997

Borrajo AMP, Gal JF, Maria PC, et al.

*Gas-phase cation basicities for sulfonyl species from calculation and experiment*

J ORG CHEM 62 (26): 9203-9209 DEC 26 1997

Moller H, Niu JE, Lutz HD, et al.

*Structural, spectroscopic and electronic properties of hydrogen-bonded water molecules in crystals. Ab initio calculations and experimental data of MCl<sub>2</sub> center dot n(H,D)(<sub>2</sub>)O, M = Sr or Ba*

J MOL STRUCT 437: 233-245 Sp. Iss. SI DEC 15 1997

Moc J, Morokuma K

*Ab initio MO study on the periodic trends in structures and energies of hypervalent compounds: five-, six-, and seven-coordinated XF<sub>5</sub>, XH<sub>6</sub><sup>-</sup>, XF<sub>6</sub><sup>-</sup>, XH<sub>7</sub><sup>2-</sup> and XF<sub>7</sub><sup>2-</sup> species containing a group 15 central atom (where X is P, As, Sb, Bi)*

J MOL STRUCT 437: 401-418 Sp. Iss. SI DEC 15 1997

Jiao HJ, Schleyer PV, Beno BR, et al.

*Theoretical studies of the structure, aromaticity, and magnetic properties of o-benzyne*

ANGEW CHEM INT EDIT 36 (24): 2761-2764 1997

Baesjou PJ, Driessen WL, Challa G, et al.

*Ab initio calculations on 2,6-dimethylphenol and 4-(2,6-dimethylphenoxy)-2,6-dimethylphenol. Evidence of an important role for the phenoxonium cation in the copper-catalyzed oxidative phenol coupling reaction*

J AM CHEM SOC 119 (51): 12590-12594 DEC 24 1997

Snyder JP, Nevins N, Tardif SL, et al.

*Inherently hindered rotation about a disulfide bond*

J AM CHEM SOC 119 (51): 12685-12686 DEC 24 1997

Liao DW, Mebel AM, Chen YT, et al.

*Theoretical study of the structure, energetics, and the  $n\text{-}\pi^*$  electronic transition of the acetone plus  $n\text{H}(2)\text{O}$  ( $n = 1\text{-}3$ ) complexes*

J PHYS CHEM A 101 (51): 9925-9934 DEC 18 1997

Gawley RE

*Chiral, nonracemic, 2-lithiopiperidines and -pyrrolidines: Remarkably stable "carbanions" with considerable synthetic potential*

CURR ORG CHEM 1 (1): 71-94 MAY 1997

Benassi R, Taddei F

*A theoretical approach to the factorization of the effects governing the barrier for internal rotation around the  $\text{C}(\text{sp}^2)\text{-C}(\text{sp}^3)$  bond into alpha-substituted toluenes*

THEOCHEM-J MOL STRUC 418 (1): 59-71 NOV 10 1997

Berti PJ, Blanke SR, Schramm VL

*Transition state structure for the hydrolysis of  $\text{NAD}^+$  catalyzed by diphtheria toxin*

J AM CHEM SOC 119 (50): 12079-12088 DEC 17 1997

Sato S, Ameta H, Horn E, et al.

*First isolation and molecular structure of bis(2,2'-biphenylene)sulfuranyl bis(tetrafluoroborate) [ $8\text{-S-4}(\text{C}4)\text{J}(2^+)$*

J AM CHEM SOC 119 (50): 12374-12375 DEC 17 1997

Cypryk M

*Ab initio study of the basicity and propensity of siloxanols towards hydrogen bond formation*

J ORGANOMET CHEM 546: 483-493 OCT 30 1997

Eckert-Maksic M, Hodoscek M, Kovacek D, et al.

*Theoretical model calculations of the absolute proton affinities of benzonitrile, nitroso- and nitrobenzene*

THEOCHEM-J MOL STRUC 417 (1-2): 131-143 OCT 13 1997

Sperling D, Reissig HU, Fabian J

*A DFT study on the vinylcyclopropanecarbaldehyde-to-2,5-dihydrooxepin hetero-cope-type rearrangement and on related reactions*

LIEBIGS ANN-RECL (12): 2443-2449 DEC 1997

Arnaud R, Vallee Y

*Substituent effect on the allyl vinyl sulfide rearrangement (thio-Claisen rearrangement) and the vinylthioethanimine rearrangement. A theoretical study*

J CHEM SOC PERK T 2 (12): 2737-2743 DEC 1997

McKee ML, Webb TR

*Carbonyl hypofluorite - A density functional theoretical study*

J PHYS CHEM A 101 (50): 9745-9748 DEC 11 1997

Kallies B, Kleinpeter E, Koch A, et al.

*Competitive resonance at the carbonyl group as visualized by the natural bond orbital analysis*

J MOL STRUCT 435 (2): 123-132 NOV 12 1997

Chung G, Kwon O, Kwon Y

*Theoretical study on 1,2-dihydroxybenzene and 2-hydroxythiophenol: Intramolecular hydrogen bonding*

J PHYS CHEM A 101 (49): 9415-9420 DEC 4 1997

Lupinetti AJ, Fau S, Frenking G, et al.

*Theoretical analysis of the bonding between CO and positively charged atoms*

J PHYS CHEM A 101 (49): 9551-9559 DEC 4 1997

Markar GM, Keseru GM

*On the conformation of tiazofurin analogues*

J MED CHEM 40 (25): 4154-4159 DEC 5 1997

Ando K, Hynes JT

*Molecular mechanism of HCl acid ionization in water: Ab initio potential energy surfaces and Monte Carlo simulations*

J PHYS CHEM B 101 (49): 10464-10478 DEC 4 1997

Fabian J, Gorls H, Beckert R, et al.

*5-ring-cycloamidines - Deeply colored heterocycles with unusual properties .2. Molecular- and electronic structure*

J PRAK CHEM-CHEM ZTG 339 (8): 735-741 1997

Fabian WMF, Kollenz G

*Substituent effects on site selectivity (C=C vs C=N) in heterocumulene-heterodiene [4+2] cycloadditions: Density functional and semiempirical AM1 molecular orbital calculations*

J ORG CHEM 62 (24): 8497-8502 NOV 28 1997

Homan H, Herreros M, Notario R, et al.

*Strain effects in protonated carbonyl compounds. An experimental and ab initio treatment of acyclic carboxamides and ketones*

J ORG CHEM 62 (24): 8503-8512 NOV 28 1997

Lee MS, HeadGordon M

*Polarized atomic orbitals for self-consistent field electronic structure calculations*

J CHEM PHYS 107 (21): 9085-9095 DEC 1 1997

Sandig N, Koch W

*Mechanism of the Ta<sup>+</sup>-mediated activation of the C-H bond in methane*

ORGANOMETALLICS 16 (24): 5244-5251 NOV 25 1997

Weber R, Kuhn T, Hagenmaier H, et al.

*ab initio MO optimization of molecular structures of fluoro- and chloro-substituted dibenzo-p-dioxines and the effect of halogen substitution at the 2,3,7,8-positions on metabolic attack*

Z NATURFORSCH B 52 (11): 1418-1431 NOV 1997

Tretiak S, Chernyak V, Mukamel S

*Two-dimensional real-space analysis of optical excitations in acceptor-substituted carotenoids*

J AM CHEM SOC 119 (47): 11408-11419 NOV 26 1997

Klapotke TM

*Reaction of [Xe-F]<sup>(+)</sup> with HI*

HETEROATOM CHEM 8 (6): 473-478 1997

Kohler K, Silverio SJ, HylaKryspin I, et al.

*Trigonal-planar-coordinated organogold(I) complexes stabilized by organometallic 1,4-diyne: Reaction behavior, structure, and bonding*

ORGANOMETALLICS 16 (23): 4970-4979 NOV 11 1997

Goldfuss B, Schleyer PVR, Hampel F

*"Lithio-Aversion" of thiophene sulfur atoms in the x-ray crystal structures of [Li-O-SiMe<sub>2</sub>(2-C<sub>4</sub>H<sub>3</sub>S)](6) and [Li-O-CH(i-Pr)(2-C<sub>4</sub>H<sub>3</sub>S)](6): Models for electrostatic metal-thiophene interactions*

ORGANOMETALLICS 16 (23): 5032-5041 NOV 11 1997

Hubler K, Hunt PA, Maddock SM, et al.

*Examination of metal-silicon bonding through structural and theoretical studies of an isostructural set of five-coordinate silyl complexes, Os(SiR<sub>3</sub>)Cl(CO)(PPh<sub>3</sub>)(2) (R=F, Cl, OH, ME)*

ORGANOMETALLICS 16 (23): 5076-5083 NOV 11 1997

Wang CC, Wang Y, Liu HJ, et al.

*Bond characterization of chromium-Fischer carbene complexes: A combined study of experiment*

*and theory*

J PHYS CHEM A 101 (47): 8887-8901 NOV 20 1997

Tasso S, BrunoBlanch L, Estiu GL

*Pharmacophoric pattern in valpromide derivatives*

INT J QUANTUM CHEM 65 (6): 1107-1114 DEC 20 1997

Perakyla M

*Ab initio quantum mechanical gas phase and reaction field solvation study on the proton abstraction from hydroxyacetaldehyde by formate: implications for enzyme catalysis*

J CHEM SOC PERK T 2 (11): 2185-2189 NOV 1997

Platts JA, Howard ST

*C-H center dot center dot center dot C hydrogen bonding involving ylides*

J CHEM SOC PERK T 2 (11): 2241-2248 NOV 1997

Abbotto A, Streitwieser A, Schleyer PV

*Ab initio and semiempirical study of the effect of ethereal solvent on aggregation of a lithium enolate*

J AM CHEM SOC 119 (46): 11255-11268 NOV 19 1997

Sambrano JR, Andres J, Beltran A, et al.

*An ab initio study of oxygen vacancies and doping process of Nb and Cr atoms on TiO<sub>2</sub> (110) surface models*

INT J QUANTUM CHEM 65 (5): 625-631 DEC 5 1997

Rayon VM, Sordo JA

*Methanol-sulfur dioxide van der Waals complexes. A theoretical study*

J CHEM PHYS 107 (19): 7912-7920 NOV 15 1997

Marchand CM, Pidun U, Frenking G, et al.

*Structure and stability of Y-conjugated silylium cations [Si(XH)(3)](+) (X = O, S, Se, and Te)*

J AM CHEM SOC 119 (45): 11078-11085 NOV 12 1997

Iikura H, Mori S, Sawamura M, et al.

*Endohedral homoconjugation in cyclopentadiene embedded in C<sub>60</sub>. Theoretical and electrochemical evidence*

J ORG CHEM 62 (23): 7912-7913 NOV 14 1997

McKee ML

*Computational comparison of S(N)2 substitution reactions of CHX center dot- and CH<sub>2</sub>X- with CH<sub>3</sub>X (X = Cl, Br). Do open-shell and closed-shell anions react differently?*

J ORG CHEM 62 (23): 7942-7949 NOV 14 1997

Worthington SE, Cramer CJ

*Density functional calculations of the influence of substitution on singlet-triplet gaps in carbenes and vinylidenes*

J PHYS ORG CHEM 10 (10): 755-767 OCT 1997

Thomas JLC, Bauschlicher CW, Hall MB

*Binding of nitric oxide to first-transition-row metal cations: An ab initio study*

J PHYS CHEM A 101 (45): 8530-8539 NOV 6 1997

Dakkouri M

*The molecular structure and conformation of (trifluorosilylmethyl)cyclopropane as determined by gas-phase electron diffraction and ab initio calculations*

J MOL STRUCT 413: 133-152 Sp. Iss. SI SEP 30 1997

Nemukhin AV

*Modeling of the structure and dynamics of clusters consisting of few atoms*

IZV AKAD NAUK FIZ+ 61 (9): 1784-1794 SEP 1997

Choe YK, Song GI, Choi YS, et al.

*Ab-initio and NMR studies on the rotational barrier for thioacetamide and acetamide*

B KOR CHEM SOC 18 (10): 1094-1099 OCT 20 1997

Suarez D, Sordo TL

*Theoretical study of the zwitterido cleavage of 4-azido-2-pyrrolinones: The role of solvent and substituents*

J AM CHEM SOC 119 (43): 10291-10301 OCT 29 1997

MeotNer M, Sieck LW, Koretke KK, et al.

*The carbon lone pair as electron donor. Ionic hydrogen bonds in isocyanides*

J AM CHEM SOC 119 (43): 10430-10438 OCT 29 1997

Herrebout WA, vanderVeken BJ

*Van der Waals complexes between unsaturated hydrocarbons and boron trifluoride: An infrared and ab initio study of ethene center dot BF<sub>3</sub> and propene center dot BF<sub>3</sub>*

J AM CHEM SOC 119 (43): 10446-10454 OCT 29 1997

Szilagyi RK, Frenking G

*Structure and bonding of the isoelectronic hexacarbonyls [Hf(CO)(6)](2-), [Ta(CO)(6)](-), W(CO)(6), [Re(CO)(6)](+), [Os(CO)(6)](2+), and [Ir(CO)(6)](3+): A theoretical study*

ORGANOMETALLICS 16 (22): 4807-4815 OCT 28 1997

Moore L, Lubinski R, Baschky MC, et al.

*Benzocyclopropenyl anion: A stable 8 pi-electron species*

J ORG CHEM 62 (21): 7390-7396 OCT 17 1997

Yamamoto T, Tomoda S

*On the origin of cis-effect in 1,2-difluoroethene*  
CHEM LETT (10): 1069-1070 1997

Simperler A, Mikenda W

*Intramolecular O-H center dot center dot N hydrogen bonds in 2-hydroxybenzalimine compounds: Spectroscopic and quantum chemical investigations*  
MONATSH CHEM 128 (10): 969-980 OCT 1997

Huang CL, Wu CC, Lien MH

*Ab initio studies of decarboxylations of the beta-keto carboxylic acids XCOCH<sub>2</sub>COOH (X = H, OH, and CH<sub>3</sub>)*  
J PHYS CHEM A 101 (42): 7867-7873 OCT 16 1997

Minyaev RM, Quapp W, Subramanian G, et al.

*Internal conrotation and disrotation in H<sub>2</sub>BCH<sub>2</sub>BH<sub>2</sub> and diborylmethane 1,3 H exchange*  
J COMPUT CHEM 18 (14): 1792-1803 NOV 15 1997

Landrum GA, Goldberg N, Hoffmann R

*Bonding in the trihalides (X-3(-)), mixed trihalides (X<sub>2</sub>Y-) and hydrogen bihalides (X<sub>2</sub>H-). The connection between hypervalent, electron-rich three-center, donor-acceptor and strong hydrogen bonding*  
J CHEM SOC DALTON (19): 3605-3613 OCT 7 1997

Ou MC, Chu SY

*Rehybridization in annelated benzene and dissociating glyoxal*  
THEOCHEM-J MOL STRUC 401 (1-2): 87-92 AUG 1 1997

Estiu GL

*Resonance in amides. Comparison of ab initio and semiempirical methodologies in the description of acetamide*  
THEOCHEM-J MOL STRUC 401 (1-2): 157-164 AUG 1 1997

Bachler V

*On obtaining localized bonding schemes from delocalized molecular-orbital wave functions*  
THEOR CHEM ACC 96 (4): 223-242 AUG 1997

Cenac N, Chrostowska A, Sotiropoulos JM, et al.

*[Cp<sub>2</sub>M] metallocene species promoted reductive coupling of Cl<sub>2</sub>C=PR: Synthesis, structure, and reactivity of the first 3,4-dihalo-1,2-dihydro-1,2-diphosphetes*  
ORGANOMETALLICS 16 (21): 4551-4556 OCT 14 1997

Chernega AN, Korokin AA, Romanenko VD, et al.

*Molecular and electronic structure of halogen-substituted phosphalkenes*  
STRUCT CHEM 8 (5): 343-352 OCT 1997

Hubler K, Hubler U, Roper WR, et al.

*The nature of the metal-silicon bond in  $[M(\text{SiR}_3)\text{H}-3(\text{PPh}_3)_3]$  ( $M=\text{Ru}, \text{Os}$ ) and the crystal structure of  $[\text{Os}\{\text{Si}(\text{N-pyrrolyl})_3\}\text{H}-3(\text{PPh}_3)_3]$*

CHEM-EUR J 3 (10): 1608-1616 OCT 1997

Yang XM, Jiao HJ, Schleyer PV

*Structures of the 12-vertex oxa- and thia-nido-dodecaborates and  $\text{B}_{13}\text{H}_{13}^{2-}$ : A theoretical DFT/GIAO/NMR investigation*

INORG CHEM 36 (21): 4897-4899 OCT 8 1997

Boucher M, Macikenas D, Ren T, et al.

*Secondary bonding as a force dictating structure and solid-state aggregation of the primary nitrene sources (arylsulfonylimino)iodoarenes ( $\text{ArINSO}_2\text{Ar}'$ )*

J AM CHEM SOC 119 (40): 9366-9376 OCT 8 1997

Lauvergnat D, Hiberty PC

*Role of conjugation in the stabilities and rotational barriers of formamide and thioformamide. An ab initio valence-bond study*

J AM CHEM SOC 119 (40): 9478-9482 OCT 8 1997

Jemmis ED, Subramanian G, Kos AJ, et al.

*The remarkably stabilized trithiocyclopropenium ion,  $\text{C}_3\text{Li}_3^+$ , and its relatives*

J AM CHEM SOC 119 (40): 9504-9512 OCT 8 1997

Badenhoop JK, Weinhold F

*Natural bond orbital analysis of steric interactions*

J CHEM PHYS 107 (14): 5406-5421 OCT 8 1997

Badenhoop JK, Weinhold F

*Natural steric analysis: Ab initio van der Waals radii of atoms and ions*

J CHEM PHYS 107 (14): 5422-5432 OCT 8 1997

Morao I, Lecea B, Cossio FP

*In-plane aromaticity in 1,3-dipolar cycloadditions*

J ORG CHEM 62 (20): 7033-7036 OCT 3 1997

Jemmis ED, Giju KT, Leszczynski J

*Tautomeric rearrangements in mono- and dichalcogenide analogs of formic acid,  $\text{HC}(\text{X})\text{YH}$  ( $\text{X}, \text{Y} = \text{O}, \text{S}, \text{Se}, \text{Te}$ ): A theoretical study*

J PHYS CHEM A 101 (40): 7389-7395 OCT 2 1997

Nielson AJ, Hunt PA, Rickard CEF, et al.

*$d(2)$  complexes of tungsten containing *p*-toluonitrile as a four- or two-electron donor and oxidative addition giving the two-electron donor acylimido ligand  $\text{NCOC}_6\text{H}_4\text{Me}$*

J CHEM SOC DALTON (18): 3311-3317 SEP 21 1997

Keogh DW, Poli R

*Experimental and theoretical comparison between  $M(cp)Cl_3Ln$  systems of Nb-IV and Mo-IV ( $cp = \eta\text{-C}_5\text{H}_5$ )*

J CHEM SOC DALTON (18): 3325-3333 SEP 21 1997

Guimaraes TC, Pavao AC, Taft CA, et al.

*Interaction mechanism of N-2 with the Cr (110) surface*

PHYS REV B 56 (11): 7001-7010 SEP 15 1997

Cai T, Chen ZD, Wang XZ, et al.

*Natural bond orbital studies on quasi-aromaticity of polyoxoanion  $(M_6O_{19})(Z^-)$  ( $M = Mo, W, Z = 2; M = V, Nb, Z = 8$ )*

PROG NAT SCI 7 (5): 554-561 OCT 1997

Zefirov YV

*Reduced intermolecular contacts and specific interactions in molecular crystals*

CRYSTALLOGR REP+ 42 (5): 865-886 SEP-OCT 1997

Nakahodo T, Takahashi O, Horn E, et al.

*First molecular and electronic structure determination of the dicationic salt of 1,11-(methanoselenomethano)-5H,7H-dibenzo[b,g][1.5]diselenocin by X-ray crystallographic analysis and ab initio calculation*

CHEM COMMUN (18): 1767-1768 SEP 21 1997

Hargittai M, Reffy B, Kolonits M, et al.

*The structure of the free  $MnF_3$  molecule - A beautiful example of the Jahn-Teller effect*

J AM CHEM SOC 119 (38): 9042-9048 SEP 24 1997

Feller D, Thompson MA, Kendall RA

*A theoretical case study of substituent effects and microsolvation on the binding specificity of crown ethers*

J PHYS CHEM A 101 (39): 7292-7298 SEP 25 1997

Prasad BV, Uppal P, Bassi PS

*Barrier to C-N rotation in selenoformamide: An ab initio study*

CHEM PHYS LETT 276 (1-2): 31-38 SEP 12 1997

Lecea B, Arrieta A, Cossio FP

*Solvent effects on the conformer distribution of 2-methoxypropanal and chloroacetaldehyde. A model case for the conformational analysis in solution of chiral aldehydes including polar groups*

J ORG CHEM 62 (19): 6485-6492 SEP 19 1997

Ando K

*Solvation dynamics and electronic structure development of coumarin 120 in methanol: A*

*theoretical modeling study*

J CHEM PHYS 107 (12): 4585-4596 SEP 22 1997

Arnold DR, McManus KA, Chan MSW

*Photochemical nucleophile-olefin combination, aromatic substitution (photo-NOCAS) reaction .13. The scope and limitations of the reaction with cyanide anion as the nucleophile*

CAN J CHEM 75 (8): 1055-1075 AUG 1997

Alikhani ME

*Density functional study of the interaction of atomic silver with SiX (X = O, S) molecules*

J CHEM SOC FARADAY T 93 (18): 3305-3308 SEP 21 1997

Patil V, Oke S, Sastry M

*On the application of a modified Sanderson formalism to atomic charge C 1s binding energy correlation in some aromatic molecules*

J ELECTRON SPECTROSC 85 (3): 249-256 MAY 1997

Carballeira L, PerezJuste I

*Ab initio study of the axial/equatorial equilibrium in N- and O-containing rings in gas phase and aqueous solution: 1-oxa-3-aza-, 1-oxa-3,5-diaza-, 1,3-dioxa-5-azacyclohexanes and N-methyl derivatives*

J ORG CHEM 62 (18): 6144-6151 SEP 5 1997

Weinhold F

*Nature of H-bonding in clusters, liquids, and enzymes: an ab initio, natural bond orbital perspective*

THEOCHEM-J MOL STRUC 398: 181-197 JUN 30 1997

Chang TC

*The canonical molecular orbital bond order and the photoelectron spectroscopy*

THEOCHEM-J MOL STRUC 398: 359-364 JUN 30 1997

Fabian J

*A theoretical study of some non-classical organic compounds with di-coordinated sulfur*

THEOCHEM-J MOL STRUC 398: 411-416 JUN 30 1997

Parry CS, Brooks BR, Matsunaga N, et al.

*Structures of some substituted nitrophenols determined by ab initio computation - On the origin of heterocliticity in anti-nitrophenol antibodies*

THEOCHEM-J MOL STRUC 398: 555-563 JUN 30 1997

Remko M

*Ab initio SCF and DFT study of configuration and reactivity of silacarbamic acid*

CHEM PAP-CHEM ZVESTI 51 (4): 185-192 1997

Kapp J, Remko M, Schleyer PV

*Reactions of  $H_2X=XH_2$  and  $H_2X=O$  double bonds ( $X=Si, Ge, Sn, Pb$ ): Are 1,3-dioxo-2,4-dimetaletanes unusual molecules?*

INORG CHEM 36 (19): 4241-4246 SEP 10 1997

Sato S, Yamashita T, Horn E, et al.

*Isolation and structure of bis(2,2'-biphenylene)dichloro- and -difluoropertelluranes,  $[12-Te-6(C_4X_2), X=Cl, F]$  ( $\lambda(6)$ -tellane)*

TETRAHEDRON 53 (36): 12183-12194 SEP 8 1997

Rablen PR

*Large effect on borane bond dissociation energies resulting from coordination by Lewis bases*

J AM CHEM SOC 119 (35): 8350-8360 SEP 3 1997

Mo O, Yanez M, Elguero J

*Study of the methanol trimer potential energy surface*

J CHEM PHYS 107 (9): 3592-3601 SEP 1 1997

Spears KG

*Density functional study of geometry and vibrational spectra for the isoelectronic  $V(CO)_6(-)$  and  $Cr(CO)_6$  molecules*

J PHYS CHEM A 101 (35): 6273-6279 AUG 28 1997

Schoeller WW, Begemann C, Tubbesing U, et al.

*On the pi-bond strengths in higher element homologues of methylenephosphane and diphosphene*

J CHEM SOC FARADAY T 93 (17): 2957-2962 SEP 7 1997

Kickelbick G, Schubert U

*CLMPH3 and  $[MPH_3](+)$  ( $M=Cu, Ag, Au$ ); a density functional study*

INORG CHIM ACTA 262 (1): 61-64 SEP 30 1997

VanVerth JE, Saunders WH

*Proton transfers from  $ZCH(3)$  to  $ZCH(2)(-)$  ( $Z=F, Cl, Br, OH, SH, SeH$ ). An ab initio investigation*

J ORG CHEM 62 (17): 5743-5747 AUG 22 1997

Uchimaru T, Stec WJ, Taira K

*Mechanism of the chemoselective and stereoselective ring opening of oxathiaphospholanes: An ab initio study*

J ORG CHEM 62 (17): 5793-5800 AUG 22 1997

Kazankov GM, Dyachenko OG, Nemukhin AV, et al.

*The nature of biomimetically relevant rate enhancement of hydrolysis in a coordination sphere of square-planar metal complexes suggested by an X-ray structural study of  $a,b-h,g-[Pt\{o-C_6H_4C(Me)=NOC(=O)Me\}(\mu-Cl)](2)$*

MENDELEEV COMMUN (4): 159-162 JUL 1997

Szabo KJ, Hupe E, Larsson ALE

*Stereoelectronic control on the kinetic stability of beta-acetoxy-substituted (eta(3)-allyl)palladium complexes in a mild acidic medium*

ORGANOMETALLICS 16 (17): 3779-3785 AUG 19 1997

Cuevas G, Juaristi E

*A density functional study of 2-lithio-1,3-dithiane and 2-lithio-2-phenyl-1,3-dithiane: Conformational preference of the C-Li bond and structural analysis*

J AM CHEM SOC 119 (32): 7545-7549 AUG 13 1997

Garcia A, Mercero JM, Ugalde JM

*Molecular and electronic structures of  $TiXH_6^+$  (X=B, Al, Ga) compounds*

J PHYS CHEM A 101 (33): 5953-5957 AUG 14 1997

Unverzagt M, Subramanian G, Hofmann M, et al.

*Carbene analogues of boron stabilized by neighboring B-B moieties: Doubly aromatic bishomotriboriranides*

ANGEW CHEM INT EDIT 36 (13-14): 1469-1472 AUG 4 1997

Hawkins GD, Cramer CJ, Truhlar DG

*New methods for potential functions for simulating biological molecules*

J CHIM PHYS PCB 94 (7-8): 1448-1481 JUL-AUG 1997

VanLier G, DeProft F, Geerlings P

*Cost effective calculation of molecular charge distributions and gas phase deprotonation energies using density functional methods*

CHEM PHYS LETT 274 (4): 396-404 AUG 8 1997

Mukamel S, Tretiak S, Wagersreiter T, et al.

*Electronic coherence and collective optical excitations of conjugated molecules*

SCIENCE 277 (5327): 781-787 AUG 8 1997

Lu SI, Mou CY

*Ab-initio calculations in reductive bond-breaking reaction of C-X bond in  $CH_3X$  and  $CH_2X_2$  with X=F and Cl*

J CHIN CHEM SOC-TAIP 44 (3): 187-193 JUN 1997

Remko M

*Structure and gas phase stability of complexes L-M, where  $M=Li^+$ ,  $Na^+$ ,  $Mg^{2+}$  and L is formaldehyde, formic acid, formate anion, formamide and their sila derivatives*

MOL PHYS 91 (5): 929-936 AUG 10 1997

Staley SW, Grimm RA, Martin GS, et al.

*Energetics of bond shift in monohalogen-substituted cyclooctatetraenes*  
TETRAHEDRON 53 (29): 10093-10102 JUL 21 1997

Wiberg KB, Murcko MA

*Heat of reduction of carbonyl compounds*  
TETRAHEDRON 53 (29): 10123-10132 JUL 21 1997

Smith GT, Mallinson PR, Frampton CS, et al.

*Experimental investigation of the bonding characteristics and charge distribution of a nitrogen ylide by high resolution X-ray diffraction*  
J CHEM SOC PERK T 2 (7): 1329-1333 JUL 1997

Bohmann JA, Weinhold F, Farrar TC

*Natural chemical shielding analysis of nuclear magnetic resonance shielding tensors from gauge-including atomic orbital calculations*  
J CHEM PHYS 107 (4): 1173-1184 JUL 22 1997

Frenking G, Fau S, Marchand CM, et al.

*The pi-donor ability of the halogens in cations and neutral molecules. A theoretical study of AX(3)(+), AH(2)X(+), YX3, and YH2X (A=C, Si, Ge, Sn, Pb; Y=B, Al, Ga, In, Tl; X=F, Cl, Br, I)*  
J AM CHEM SOC 119 (28): 6648-6655 JUL 16 1997

Winkler U, Schieck M, Pritzkow H, et al.

*Through-bond interactions in silicon-phosphorus and silicon-arsenic compounds: A facile synthesis of dodecamethyl-2,3,5,6,7,8-hexasila-1 lambda(3),4 lambda(3)-diphosphabicyclo[2.2.2]octane, its arsenic analogue, and related compounds*  
CHEM-EUR J 3 (6): 874-880 JUN 1997

Olah GA, Rasul G, Prakash GKS

*Triprotonated hydrogen sulfide: Pentacoordinate sulfonium trication SH53+ and the search for its parent pentacoordinate oxonium trication OH53+*  
CHEM-EUR J 3 (7): 1039-1041 JUL 1997

Sekusak S, Sabljic A

*The role of complexes in hydrogen abstraction from haloethanes by the hydroxyl radical. A case of guided reactions*  
CHEM PHYS LETT 272 (5-6): 353-360 JUL 4 1997

SilaghiDumitrescu I, LaraOchoa F, Haiduc I

*On the formation of cyclodisilazanes via the coordination of bis(dialkylaminosilanes) to halogenosilanes: An ab initio and AM1 molecular orbital study of the 4644 R2Si(NR'(2))(2):SiX4 ring systems*  
THEOCHEM-J MOL STRUC 397: 213-222 JUN 2 1997

Grigorenko BL, Nemukhin AV, Apkarian VA

*Inclusion of ion-pair states in the diatomics-in-molecules description of potential energy surfaces: van der Waals complexes of He-Cl-2 and Ar-Cl-2*

CHEM PHYS 219 (2-3): 161-172 JUL 1 1997

Michl J, Havlas Z

*Spin-orbit coupling in biradicals: Structural aspects*

PURE APPL CHEM 69 (4): 785-790 APR 1997

Maulitz AH, Lightstone FC, Zheng YJ, et al.

*Nonenzymatic and enzymatic hydrolysis of alkyl halides: A theoretical study of the S(N)2 reactions of acetate and hydroxide ions with alkyl chlorides*

P NATL ACAD SCI USA 94 (13): 6591-6595 JUN 24 1997

Sakaki S, Takeuchi K, Sugimoto M, et al.

*Geometries, bonding nature, and relative stabilities of dinuclear palladium(I) pi-allyl and mononuclear palladium(II) pi-allyl complexes. A theoretical study*

ORGANOMETALLICS 16 (13): 2995-3003 JUN 24 1997

Shaitan KV, Nemukhin AV, Firsov DA, et al.

*Importance of effective charges in the analysis of electron-conformational interactions in peptides*

MOL BIOL+ 31 (1): 90-97 JAN-FEB 1997

Hatch FT, Colvin ME

*Quantitative structure-activity (QSAR) relationships of mutagenic aromatic and heterocyclic amines*

MUTAT RES-FUND MOL M 376 (1-2): 87-96 MAY 12 1997

Kobayashi K, Nagase S

*Silicon-silicon triple bonds: Do substituents make disilynes synthetically accessible?*

ORGANOMETALLICS 16 (12): 2489-2491 JUN 10 1997

Frenking G, Pidun U

*Ab initio studies of transition-metal compounds: The nature of the chemical bond to a transition metal*

J CHEM SOC DALTON (10): 1653-& MAY 21 1997

Glukhovtsev MN, Bach RD, Laiter S

*Single-step and multistep mechanisms of aromatic nucleophilic substitution of halobenzenes and halonitrobenzenes with halide anions: Ab initio computational study*

J ORG CHEM 62 (12): 4036-4046 JUN 13 1997

PaddonRow MN, Shephard MJ

*Through-bond orbital coupling, the parity rule, and the design of "superbridges" which exhibit greatly enhanced electronic coupling: A natural bond orbital analysis*

J AM CHEM SOC 119 (23): 5355-5365 JUN 11 1997

Takahashi O, Sawahata H, Ogawa Y, et al.

*Incorporation of solvent effects into ab initio molecular orbital calculations by the generalized Born formula. Formulation, parameterization, and applications*  
THEOCHEM-J MOL STRUC 393: 141-150 APR 21 1997

Chan MSW, Arnold DR

*Three-dimensional electron delocalization: A theoretical study based on the pentacyclo[3.3.1.1(3,7).0(1,3).0(5,7)]decane system*  
CAN J CHEM 75 (2): 192-201 FEB 1997

Fossey J, Ghigo G, Tonachini G, et al.

*Ab initio theoretical study of metallo-dehydrogenation and nucleophilic addition of methyllithium and methylpotassium with crotonaldehyde dimethyl acetal*  
TETRAHEDRON 53 (23): 7937-7946 JUN 9 1997

Chan JCC, Wilson PJ, AuYeung SCF, et al.

*Density functional study of the electronic structures of  $[Co(NH_3)_5X]^{(3+n)+}$  complexes. Insight into the role of the 3d and 4s orbitals in metal-ligand interactions*  
J PHYS CHEM A 101 (23): 4196-4201 JUN 5 1997

Sekusak S, Liedl KR, Rode BM, et al.

*Reaction-path dynamics of hydroxyl radical reactions with ethane and haloethanes*  
J PHYS CHEM A 101 (23): 4245-4253 JUN 5 1997

Pophristic V, Goodman L, Guchhait N

*Role of lone-pairs in internal rotation barriers*  
J PHYS CHEM A 101 (23): 4290-4297 JUN 5 1997

Klapotke TM, Schulz A

*Group 15 triazides: A comprehensive theoretical study and the preparation of bismuth triazide*  
MAIN GROUP MET CHEM 20 (5): 325-338 MAY 1997

Raines RT

*Nature's transitory covalent bond*  
NAT STRUCT BIOL 4 (6): 424-427 JUN 1997

Nakamura E, Mori S, Nakamura M, et al.

*Theoretical studies on the addition of polymetallic lithium organocuprate clusters to acetylene. Cooperative effects of metals in a trap-and-bite reaction pathway*  
J AM CHEM SOC 119 (21): 4887-4899 MAY 28 1997

Nakamura E, Mori S, Morokuma K

*Reaction pathway of the conjugate addition of lithium organocuprate clusters to acrolein*  
J AM CHEM SOC 119 (21): 4900-4910 MAY 28 1997

Streitwieser A, Choy GSC, AbuHasanayn F

*Theoretical study of ion pair S(N)2 reactions: Ethyl vs methyl reactivities and extension to higher alkyls*

J AM CHEM SOC 119 (21): 5013-5019 MAY 28 1997

Kaupp M, Malkina OL, Malkin VG

*The calculation of O-17 chemical shielding in transition metal oxo complexes .1. Comparison of DFT and ab initio approaches, and mechanisms of relativity-induced shielding*

J CHEM PHYS 106 (22): 9201-9212 JUN 8 1997

Gerlt JA, Kreevoy MM, Cleland WW, et al.

*Understanding enzymic catalysis: The importance of short, strong hydrogen bonds*

CHEM BIOL 4 (4): 259-267 APR 1997

Subramanian G, Schleyer PV, Jiao HJ

*Aromaticity of annelated borepins*

ORGANOMETALLICS 16 (11): 2362-2369 MAY 27 1997

Nemukhin AV, Grigorenko BL, Ozhegova NV

*Simulation of the properties of lithium clusters in argon matrices*

ZH FIZ KHIM+ 71 (2): 306-309 FEB 1997

Remko M

*Gas-phase binding of Li+, Na+ and Mg2+ to formaldehyde, acetaldehyde and their silicon and sulfur analogs. A theoretical study by means of ab initio molecular orbital methods at the G2 level of theory*

CHEM PHYS LETT 270 (3-4): 369-375 MAY 23 1997

Olah GA, Burrichter A, Rasul G, et al.

*The protiotetramethylammonium dication (CH3)3NCH4(2+): Hydrogen/deuterium exchange and calculational studies. Search for the parent protioammonium dication NH5(2+)*

J AM CHEM SOC 119 (20): 4594-4598 MAY 21 1997

Boldyrev AI, Simons J

*Polyhedral ionic molecules*

J AM CHEM SOC 119 (20): 4618-4621 MAY 21 1997

Koch A, Kleinpeter E

*Restricted rotation about partial C,N double bonds*

STRUCT CHEM 8 (3): 217-226 JUN 1997

Mo O, Yanez M, Esseffar M, et al.

*Role of chelation and resonance on the intrinsic acidity and basicity of tropolone*

J ORG CHEM 62 (10): 3200-3207 MAY 16 1997

Kim KS, Cho SJ, Oh KS, et al.

*Theoretical studies of regioselectivity of myo-inositol derivatives: Importance of solvent dielectric constants*

J PHYS CHEM A 101 (20): 3776-3783 MAY 15 1997

Stockigt D

*Cation- $\pi$  interaction in Al(L)(+) complexes (L=C<sub>6</sub>H<sub>6</sub>, C<sub>5</sub>H<sub>5</sub>N, C<sub>5</sub>H<sub>6</sub>, C<sub>4</sub>H<sub>4</sub>NH, C<sub>4</sub>H<sub>4</sub>O)*

J PHYS CHEM A 101 (20): 3800-3807 MAY 15 1997

Greer A, Chen MF, Jensen F, et al.

*Experimental and ab initio computational evidence for new peroxidic intermediates (iminopersulfonic acids). Substituent effects in the photooxidations of sulfenic acid derivatives*

J AM CHEM SOC 119 (19): 4380-4387 MAY 14 1997

Laitalainen T, Sundberg MR, Uggla R, et al.

*Stereoselective synthesis, molecular structure and NBO analyses of cis-3,5-di(chloromethyl)-1,4-oxatellurane(IV) 4,4-dichloride*

POLYHEDRON 16 (14): 2441-2445 1997

Pyykko P

*Strong closed-shell interactions in inorganic chemistry*

CHEM REV 97 (3): 597-636 MAY 1997

McKee ML

*Computed properties of the CB<sub>9</sub>H<sub>10</sub> and CB<sub>11</sub>H<sub>12</sub> free radicals*

J AM CHEM SOC 119 (18): 4220-4223 MAY 7 1997

Guadagnini PH, Oliveira AE, Bruns RE, et al.

*Core electron energies, infrared intensities, and atomic charges*

J AM CHEM SOC 119 (18): 4224-4231 MAY 7 1997

Fabian WMF, Janoschek R

*Peri-, site-, and regioselectivity in heterocumulene-heterodiene cycloaddition reactions: An ab initio study of the system ketenimine plus acrolein*

J AM CHEM SOC 119 (18): 4253-4257 MAY 7 1997

Pardo L, Weinstein H

*On the structure and activity of membrane receptors: A computational simulation of ligand-triggered activation in a model 5-HT<sub>1A</sub> receptor*

INT J QUANTUM CHEM 63 (3): 767-780 JUN 5 1997

Salzner U, Bachrach SM

*Cycloaddition reactions between 2H-phosphole and phosphaketene: Ab initio examination of [2+2] and [4+2] pathways*

J ORGANOMET CHEM 529 (1-2): 15-22 FEB 15 1997

Bernasconi CF, Wenzel PJ, Keeffe JR, et al.

*Intrinsic barriers and transition state structures in the gas phase carbon-to-carbon identity proton transfers from nitromethane to nitromethide anion and from protonated nitromethane to aci-nitromethane. An ab initio study*

J AM CHEM SOC 119 (17): 4008-4020 APR 30 1997

Jemmis ED, Kiran B

*Structure and bonding in B10X2H10 (X=C and Si). The kinky surface of 1,2-dehydro-o-disilaborane*

J AM CHEM SOC 119 (17): 4076-4077 APR 30 1997

Palmer MH

*Deviations from idealised geometries .4. Approximately tetrahedral molecules of form MX<sub>2</sub>Y<sub>2</sub> studied by SCF and MP2 localised orbital calculations*

J MOL STRUCT 405 (2-3): 193-205 MAR 31 1997

Schulz A, Klapotke TM

*Theoretical evidence for two new intermediate xenon species: Xenon azide fluoride, FXe(N-3), and xenon isocyanate fluoride, FXe(NCO)*

INORG CHEM 36 (9): 1929-1933 APR 23 1997

HylaKryspin I, Gleiter R, Rohmer MM, et al.

*Quantum-chemical investigations of stabilizing interactions in mu-diborylcarbene dicobalt complexes with a planar tetracoordinate carbon atom*

CHEM-EUR J 3 (2): 294-299 FEB 1997

Lecea B, Arrieta A, Morao I, et al.

*Ab initio models for the nitroaldol (Henry) reaction*

CHEM-EUR J 3 (1): 20-28 JAN 1997

Szabo KJ

*Nature of the interactions between polar beta-substituents and palladium in eta(3)-allylpalladium complexes - A combined experimental and theoretical study*

CHEM-EUR J 3 (4): 592-600 APR 1997

Garmer DR

*MD simulations of a 5-HT<sub>2A</sub> receptor model in DOPC membranes*

J BIOMOL STRUCT DYN 14 (5): 525-& APR 1997

Steinberger HU, Muller T, Auner N, et al.

*The 2-silanorbornyl cation: An internally stabilized silyl cation*

ANGEW CHEM INT EDIT 36 (6): 626-628 APR 4 1997

Kemper PR, Weis P, Bowers MT

*Cr+(H-2)(n) clusters: Asymmetric bonding from a symmetric ion*

INT J MASS SPECTROM 160 (1-3): 17-37 JAN 1997

Burdett JK

*Inside the chemical bond*

NEW J CHEM 21 (3): 289-299 MAR 1997

Glukhovtsev MN, Bach RD

*Methylene-iodonium ylide: An isomer of diiodomethane*

CHEM PHYS LETT 269 (1-2): 145-150 APR 25 1997

Chang TC

*Lewis bond order for some controversial canonical molecular orbitals*

THEOCHEM-J MOL STRUC 391 (1-2): 151-157 FEB 28 1997

Weis P, Kemper PR, Bowers MT

*Mn+(H-2)(n) and Zn+(H-2)(n) clusters: Influence of 3d and 4s orbitals on metal-ligand bonding*

J PHYS CHEM A 101 (15): 2809-2816 APR 10 1997

Olah GA, Shamma T, Burrichter A, et al.

*2,6-dimethylmesitylene-2,6-diyl dication, a unique dienyl-allyl dication and its comparison with bisallylic benzene dication*

J AM CHEM SOC 119 (14): 3407-3408 APR 9 1997

Anders E, Wermann K, Wiedel B, et al.

*Highly selective alkylation of 5-amino-1-methyl-1H-1,2,4-triazole with 1-(1-*

*chloroalkyl)pyridinium chlorides under formation of novel geminal bis(heteroarylium) salts: A combined experimental/MO-theoretical study*

LIEBIGS ANN-RECL (4): 745-752 APR 1997

Adamo C, Maldivi P

*Ionic versus covalent character in lanthanide complexes. A hybrid density functional study*

CHEM PHYS LETT 268 (1-2): 61-68 APR 4 1997

Rozas I

*Atomic charges derived from different methods: A comparative study applied to SO2 heterocycles*

INT J QUANTUM CHEM 62 (5): 477-487 APR 20 1997

Metail V, Joantegy S, ChrostowskaSenio A, et al.

*Gas-phase characterization of unhindered silanimines by photoelectron spectroscopy:*

*Experimental and theoretical study of the Si=N double bond*

INORG CHEM 36 (7): 1482-1487 MAR 26 1997

Klapotke TM

*Recent developments in the chemistry of covalent azides*  
CHEM BER-RECL 130 (4): 443-451 APR 1997

Durup J

*On the kinetics of infection by pathogenic prion protein molecules*  
CHEM PHYS LETT 267 (5-6): 563-566 MAR 28 1997

Moss RA, Bose S, KroghJespersen K

*Phosphate cleavage by organoiodinane oxyanion analogues of o-iodosobenzoate: Experimental and computational studies*  
J PHYS ORG CHEM 10 (1): 27-32 JAN 1997

Strassner T, Fabian J

*DFT- and post-HF-study on structure and electronic excitation of acyclic and cyclic sulfur diimides*  
J PHYS ORG CHEM 10 (1): 33-41 JAN 1997

Fabian J, Hess BA

*lambda(4)sigma(2)-Sulfur heterocycles. An ab initio and density functional study*  
J ORG CHEM 62 (6): 1766-1774 MAR 21 1997

Heydenreich M, Koch A, Kleinpeter E, et al.

*Dynamic NMR study of the flexibility of 2-amino-3-aryl-4,6-diaryl-pyrylium salts*  
FRESEN J ANAL CHEM 357 (5): 517-521 MAR 1997

Grigorenko BL, Nemukhin AV, Buchachenko AA, et al.

*Diatomics-in-molecules description of the Rg-Hal(2) rare gas halogen van der Waals complexes with applications to He-Cl-2*  
J CHEM PHYS 106 (11): 4575-4588 MAR 15 1997

Cruz EM, Lopez X, Ayerbe M, et al.

*G2 study of the triplet and singlet [H-3,P-2](+) potential energy surfaces. Mechanisms for the reaction of P+(D-1,P-3) with PH3*  
J PHYS CHEM A 101 (11): 2166-2172 MAR 13 1997

Klapotke TM

*The [ICNI](+) cation: A combined experimental and theoretical study. Reaction of [ICNI](+)[AsF6](-) with CsN3*  
J CHEM SOC DALTON (4): 553-557 FEB 21 1997

Kubicki JD, Blake GA, Apitz SE

*Molecular orbital calculations for modeling acetate-aluminosilicate adsorption and dissolution reactions*  
GEOCHIM COSMOCHIM AC 61 (5): 1031-1046 MAR 1997

Liu WJ, Li LM

*A method for population and bonding analyses in calculations with extended basis sets*  
THEOR CHIM ACTA 95 (3-4): 81-95 MAR 1997

Pacios LF, Gomez PC

*Ab initio study of bromine dioxides OBrO and BrOO*  
J PHYS CHEM A 101 (9): 1767-1773 FEB 27 1997

White JC, Nicholas JB, Hess AC

*Periodic Hartree-Fock characterization of the structure and electronic properties of zeolite NaCaA*  
J PHYS CHEM B 101 (4): 590-595 JAN 23 1997

Skourtis SS, Beratan DN

*Electron transfer contact maps*  
J PHYS CHEM B 101 (7): 1215-1234 FEB 13 1997

Glukhovtsev MN, Bach RD, Nagel CJ

*Performance of the B3LYP/ECP DFT calculations of iron-containing compounds*  
J PHYS CHEM A 101 (3): 316-323 JAN 16 1997

BenTal N, Sitkoff D, Topol IA, et al.

*Free energy of amide hydrogen bond formation in vacuum, in water, and in liquid alkane solution*  
J PHYS CHEM B 101 (3): 450-457 JAN 16 1997

Fogarasi G, Szalay PG

*High-level electron correlation calculations on formamide and the resonance model*  
J PHYS CHEM A 101 (7): 1400-1408 FEB 13 1997

Boldyrev AI, Simons J

*Ab initio predictions of new carbon hypermagnesium species: Mg<sub>2</sub>C and Mg<sub>3</sub>C*  
J PHYS CHEM A 101 (5): 902-906 JAN 30 1997

Jemmis ED, Subramanian G, Korkin AA, et al.

*Exotic structures of Si<sub>2</sub>B<sub>2</sub>H<sub>4</sub>*  
J PHYS CHEM A 101 (5): 919-925 JAN 30 1997

Benassi R, Bertarini C, Taddei F

*Ab initio MO study of the internal rotation process in alpha-chlorinated picolines.*  
THEOCHEM-J MOL STRUC 389 (1-2): 105-116 JAN 24 1997

Niu JE, Schwarz WHE, Ruedenberg K

*Electron densities and p pi-AO occupancies in pi-bonded systems*  
THEOCHEM-J MOL STRUC 389 (1-2): 117-128 JAN 24 1997

Nothegger T, Wurst K, Probst M, et al.

*Lithium 2,2,6,6-tetramethylpiperidoselenolate: An unsymmetrical dimer with an unusually coordinated lithium*

CHEM BER-RECL 130 (1): 119-122 JAN 1997

Nemukhin AV, Grigorenko BL

*Modeling properties of the HF dimer in argon clusters*

INT J QUANTUM CHEM 62 (1): 55-65 MAR 5 1997

Kremer T, Schleyer PV

*Charge-localizing effect in alkali-metal enolates and phenolates. Structure and aromaticity of the phenolate anion*

ORGANOMETALLICS 16 (4): 737-746 FEB 18 1997

Sauers RR

*Ab initio calculations on 1,3,2-diazaphospholes: New heteroaromatic systems*

TETRAHEDRON 53 (7): 2357-2364 FEB 17 1997

Weiss J, Stetzkamp D, Nuber B, et al.

*[(eta(5)-C(5)Me(5))Al-Fe(CO)(4)] - Synthesis, structure, and bonding*

ANGEW CHEM INT EDIT 36 (1-2): 70-72 FEB 3 1997

Reindl B, Clark T, Schleyer PVR

*Empirical force field and ab initio calculations on allyl cations*

J COMPUT CHEM 18 (4): 533-551 MAR 1997

Zhao YF, Gu TK, Pan SF, et al.

*An ab initio study of the structure, dissociation energy, and heat of formation of Na<sub>2</sub>S*

INT J QUANTUM CHEM 61 (6): 953-957 FEB 20 1997

Bader JS, Cortis CM, Berne BJ

*Solvation and reorganization energies in polarizable molecular and continuum solvents*

J CHEM PHYS 106 (6): 2372-2387 FEB 8 1997

Apeloig Y, Karni M

*Triple bonds to silicon. Substituent effects on the thermodynamic and kinetic stabilities of silynes relative to their isomeric silylidenes and silavinylidenes*

ORGANOMETALLICS 16 (3): 310-312 FEB 4 1997

Frohlich N, Pidun U, Stahl M, et al.

*Carbenes as pure donor ligands: Theoretical study of beryllium-carbene complexes*

ORGANOMETALLICS 16 (3): 442-448 FEB 4 1997

Goldfuss B, Schleyer PV, Hampel F

*Alkali metal cation pi-interactions in metalated and nonmetalated acetylenes: pi-bonded lithiums*

*in the X-ray crystal structures of [Li-C C-SiMe(2)-C6H4-OMe](6) and [Li-O-CMe(2)-C C-H](6) and computational studies*

J AM CHEM SOC 119 (5): 1072-1080 FEB 5 1997

Glukhovtsev MN, Bach RD

*Ab initio study on the thermochemistry of diphosphine (P2H4) and diphosphine radical cation (P2H4+.)*

CHEM PHYS LETT 265 (3-5): 514-520 FEB 7 1997

Arulmozhiraja S, Kolandaivel P

*Condensed Fukui function: Dependency on atomic charges*

MOL PHYS 90 (1): 55-62 JAN 1997

Brady M, Weng WQ, Zhou YL, et al.

*Consanguineous families of coordinated carbon: A ReC4Re assembly that is isolable in three oxidation states, including crystallographically characterized ReC CC CRe and Re-+=C=C=C=C=Re+ adducts and a radical cation in which charge is delocalized between rhenium . . .*

J AM CHEM SOC 119 (4): 775-788 JAN 29 1997

Morao I, Lecea B, Arrieta A, et al.

*Structural and solvent effects on the mechanism of the thermal decarboxylation of 2-oxetanones. A limiting case between concerted and stepwise pathways in pericyclic reactions*

J AM CHEM SOC 119 (4): 816-825 JAN 29 1997

Harder S, Lutz M

*The phosphonium dibenzylide anion as a ligand in organobarium chemistry*

ORGANOMETALLICS 16 (2): 225-230 JAN 21 1997

Jas GS, Kuczera K

*Ab initio calculations of S-1 excited state vibrational spectra of benzene, naphthalene and anthracene*

CHEM PHYS 214 (2-3): 229-241 JAN 15 1997

Barone V, Bencini A, Totti F, et al.

*Comparison between post-Hartree-Fock and DFT methods for the study of strength and mechanism of cleavage of Hg-C bond*

INT J QUANTUM CHEM 61 (3): 361-367 JAN 20 1997

Glaser R, Chen GS

*Electronic structure analysis of the nonlinear optical materials 4-nitropyridine N-oxide (NPO) and 3-methyl-4-nitropyridine N-oxide (POM)*

CHEM MATER 9 (1): 28-35 JAN 1997

Xu T, Barich DH, Torres PD, et al.

*Carbon-13 chemical shift tensors for acylium ions: A combined solid state NMR and ab initio molecular orbital study*

J AM CHEM SOC 119 (2): 396-405 JAN 15 1997

Harder S, Lutz M, Straub AWG

*Silicon-bridged alkali-metal and alkaline-earth-metal metallocene complexes*

ORGANOMETALLICS 16 (1): 107-113 JAN 7 1997

Cruz EM, Lopez X, Sarobe M, et al.

*G2 study of triplet [H-4,Si,P](+) potential energy surface: Mechanism for reaction of P+(P-3) with silane*

J COMPUT CHEM 18 (1): 9-19 JAN 15 1997

Reindl B, Clark T, Schleyer PV

*Empirical force-field and ab initio calculations on delocalized open chain cations*

J COMPUT CHEM 18 (1): 28-44 JAN 15 1997

---

[Bibliography Home](#)

[NBO Home](#)